

Interference

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	982	((xml or "extensible markup language") with document) and (hierarchical with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:05
L2	70	((xml or "extensible markup language") with document) and (hierarchical with database with schema)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:05
L3	4	((xml or "extensible markup language") with document) and (hierarchical with database with schema) and (field with type with identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:08
L4	0	707/513.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:07
L5	3466	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:07
L6	5456	707/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:07
L7	1760	707/103R.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:07
L8	6603	707/104.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:07
L9	15299	5 or 6 or 7 or 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:08

EAST Search History

L10	23	2 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:08
L11	5515	(field with type with identifier\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:08
L12	4	2 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:11
L13	2	9 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:09
L14	23	2 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 10:11



Welcome United States Patent and Trademark Office

☐ Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Edit an existing query or compose a new query in the Search Query Display.

Sat, 29 Sep 2007, 11:10:12 AM EST

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	(((document <near/2> schema))<in>metadata)	24
#2	((((document <near/2> schema))<in>metadata)<AND>(((document <near/2> schema))<in>metadata) and configur*)	2
#3	(((((((document <near/2> schema))<in>metadata)<and>(((document <near/2> schema))<in>metadata) and configur*))<AND>((document <near/2> schema) and xml<in>metadata))	2
#4	(((((((document <near/2> schema))<in>metadata)<and>(((document <near/2> schema))<in>metadata) and configur*))<and>((document <near/2> schema) and xml<in>metadata)) and conver*	1

Indexed by
 Inspect

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

☐ [Search Result - Print Format](#)[< Back to Previous Page](#)

Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IEEE STD = IEEE Standard

1. An overview of research on reverse engineering XML schemas into UML diagrams
Yu, A.; Steele, R.;
Information Technology and Applications, 2005. ICITA 2005. Third International Conference on
Volume 2, 4-7 July 2005 Page(s):772 - 777 vol.2
IEEE CNF

not a prior art but closest art.

Indexed by
 Inspec

© Copyright 2006 IEEE - All Rights Reserved